

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 11.02.2019

Version number 2

Revision: 06.02.2018

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1 Product identifier**

Trade name **Original LamstedtTon**  
**2-5 rund; 4-8 rund; 8-16 rund**

Safety data sheet no.: 49PS21253

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

**Application of the substance / the mixture** Construction chemicals

**1.3 Details of the supplier of the safety data sheet**

**Manufacturer/Supplier:**

Fibo ExClay Deutschland GmbH

Rahdener Str. 1

21769 Lamstedt

Tel. 0049 4773 896 0 Fax 0049 4773 896 133 Email [vertrieb@fiboexclay.de](mailto:vertrieb@fiboexclay.de)

**1.4 Emergency telephone number:** Telefon: +49(0)6131-19240

**SECTION 2: Hazards identification**

**2.1 Classification of the substance or mixture**

**Classification according to Regulation (EC) No 1272/2008**

The product is not classified, according to the CLP regulation.

**2.2 Label elements**

**Labelling according to Regulation (EC) No 1272/2008** Void

**Hazard pictograms** Void

**Signal word** Void

**Hazard statements** Void

**2.3 Other hazards**

**Results of PBT and vPvB assessment**

**PBT:** Does not contain PBT substances.

**vPvB:** Does not contain vPvB substances.

**SECTION 3: Composition/information on ingredients**

**3.2 Chemical characterisation: Mixtures**

**Description:** Inert ceramic product (fired clay)

**Dangerous components:**

CAS: 14808-60-7 EINECS: 238-878-4 Index number: 002-315-45-4	Siliciumdioxide (Quartzsand) substance with a Community workplace exposure limit	>50%
CAS: 1344-28-1 EINECS: 215-691-6	aluminium oxide substance with a Community workplace exposure limit	10-20%
CAS: 1332-37-2 EINECS: 215-570-8	Iron oxide substance with a Community workplace exposure limit	5-10%

**SVHC** Void

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 11.02.2019

Version number 2

Revision: 06.02.2018

Trade name **Original LamstedtTon**  
2-5 rund; 4-8 rund; 8-16 rund

(Contd. of page 1)

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

**General information** Immediately remove any clothing soiled by the product.

**After inhalation** Supply fresh air; consult doctor in case of complaints.

#### After skin contact

Immediately wash with water and soap and rinse thoroughly.

Generally the product does not irritate the skin.

#### After eye contact

Rinse opened eye for several minutes under running water. Rinse liquid should be tempered (20-30°C).

#### After swallowing

Rinse out mouth with water. Do not induce vomiting. Seek medical attention and present this data sheet.

#### 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

#### 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

#### Suitable extinguishing agents

Use fire extinguishing methods suitable to surrounding conditions.

#### 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

#### 5.3 Advice for firefighters

**Protective equipment:** No special measures required.

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective clothing.

Avoid formation of dust.

**6.2 Environmental precautions:** No special measures required.

**6.3 Methods and material for containment and cleaning up:** Pick up mechanically.

**6.4 Reference to other sections** See Section 13 for disposal information.

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Prevent formation of dust.

Provide suction extractors if dust is formed.

**Information about fire - and explosion protection:** No special measures required.

(Contd. on page 3)

EUG

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 11.02.2019

Version number 2

Revision: 06.02.2018

**Trade name Original LamstedtTon**  
2-5 rund; 4-8 rund; 8-16 rund

(Contd. of page 2)

**7.2 Conditions for safe storage, including any incompatibilities**

**Storage**

**Requirements to be met by storerooms and receptacles:**

Insure sufficient ventilation for storage and work areas.

Store only in unopened original receptacles.

**Information about storage in one common storage facility:** Store away from foodstuffs.

**Further information about storage conditions:**

Store in cool, dry conditions in well sealed receptacles.

**7.3 Specific end use(s)** No further relevant information available.

**SECTION 8: Exposure controls/personal protection**

**Additional information about design of technical facilities:** No further data; see item 7.

**8.1 Control parameters**

**Ingredients with limit values that require monitoring at the workplace:**

CAS No.	Designation of material	%	Type	Value	Unit
<b>CAS: 14808-60-7 Siliciumdioxide (Quartzsand)</b>					
TWA (Italy)	Long-term value: 0.025 mg/m <sup>3</sup>		A2 (r)		
HTP (Finland)	Long-term value: 0.05 mg/m <sup>3</sup>		alveolijae		
<b>CAS: 1344-28-1 aluminium oxide</b>					
AGW (Germany)	Long-term value: 1.25* 10** mg/m <sup>3</sup>		2(II);*alveolengängig**einattembar; AGS, DFG		
GV (Denmark)	Long-term value: 5* 2** mg/m <sup>3</sup>		som Al, *total; **respirabel		
LEP (Spain)	Long-term value: 10 mg/m <sup>3</sup>				
TWA (Italy)	Long-term value: 10 mg/m <sup>3</sup>		A4 (e)		
VLE (Portugal)	Long-term value: 1 mg/m <sup>3</sup>		respirável;A4,Pneumoconiose,Irritação TRI,em Al		
OEL (Sweden)	Long-term value: 5* 2** mg/m <sup>3</sup>		som Al; *totaldamm **respirabelt damm		
<b>CAS: 1332-37-2 Iron oxide</b>					
GV (Denmark)	Long-term value: 1 mg/m <sup>3</sup>		som Fe		
LEP (Spain)	Long-term value: 1 mg/m <sup>3</sup>		c, como Fe		
VLE (Portugal)	Long-term value: 1 mg/m <sup>3</sup>		em Fe; Irritação do TRS e cutânea		
HTP (Finland)	Long-term value: 1 mg/m <sup>3</sup>		Fe		

(Contd. on page 4)

**Safety data sheet**  
 according to 1907/2006/EC, Article 31

Printing date 11.02.2019

Version number 2

Revision: 06.02.2018

**Trade name Original LamstedtTon**  
**2-5 rund; 4-8 rund; 8-16 rund**

(Contd. of page 3)

**Additional information:**

The applicable TRGS 900 (MAK list) was used as the basis for the preparation and/or revision of this safety data sheet.

**8.2 Exposure controls**

**Personal protective equipment:**

**General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Do not eat or drink while working.

Immediately remove all soiled and contaminated clothing.

**Respiratory protection:**

Use suitable respiratory protective device in case of insufficient ventilation.

Short term filter device:

Filter P2.

**Protection of hands:**

Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

**Material of gloves**

Nitrile impregnated cotton gloves complying with the standard EN 374-1.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

**Eye protection:** Tightly sealed goggles

**Body protection:** Protective work clothing.

**SECTION 9: Physical and chemical properties**

**9.1 Information on basic physical and chemical properties**

**General Information**

**Appearance:**

<b>Form:</b>	Solid.
<b>Colour:</b>	Grey
<b>Odour:</b>	Odourless

<b>pH-value:</b>	7-10 In water
------------------	------------------

**Change in condition**

<b>Melting point/freezing point:</b>	1100-1150 ° C
<b>Initial boiling point and boiling range:</b>	Undetermined.

<b>Flash point:</b>	Not applicable
---------------------	----------------

<b>Flammability (solid, gas):</b>	Product is not flammable.
-----------------------------------	---------------------------

(Contd. on page 5)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 11.02.2019

Version number 2

Revision: 06.02.2018

**Trade name Original LamstedtTon**  
**2-5 rund; 4-8 rund; 8-16 rund**

(Contd. of page 4)

<b>Explosive properties:</b>	Product does not present an explosion hazard.
<b>Vapour pressure:</b>	Not applicable.
<b>Density:</b>	
<b>Bulk density:</b>	320-700 kg/m <sup>3</sup>
<b>Solubility in / Miscibility with Water:</b>	Unsoluble
<b>Viscosity:</b>	
dynamic:	Not applicable.
kinematic:	Not applicable.
<b>Solvent content:</b>	
Organic solvents:	0.0 %
Solids content:	100.0 %
<b>9.2 Other information</b>	None.

**SECTION 10: Stability and reactivity**

**10.1 Reactivity** No further relevant information available.

**10.2 Chemical stability**

**Thermal decomposition / Conditions to be avoided:**

No decomposition if used according to specifications.

**10.3 Possibility of hazardous reactions** No dangerous reactions known

**10.4 Conditions to avoid** No further relevant information available.

**10.5 Incompatible materials:** No further relevant information available.

**10.6 Hazardous decomposition products:** No dangerous decomposition products known.

**SECTION 11: Toxicological information**

**11.1 Information on toxicological effects**

**Acute toxicity** Based on available data, the classification criteria are not met.

**Primary irritant effect:**

**Skin corrosion/irritation** Based on available data, the classification criteria are not met.

**Serious eye damage/irritation** Based on available data, the classification criteria are not met.

**Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.

**CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)**

**Germ cell mutagenicity** Based on available data, the classification criteria are not met.

**Carcinogenicity** Based on available data, the classification criteria are not met.

**Reproductive toxicity** Based on available data, the classification criteria are not met.

**STOT-single exposure** Based on available data, the classification criteria are not met.

**STOT-repeated exposure** Based on available data, the classification criteria are not met.

**Aspiration hazard** Based on available data, the classification criteria are not met.

EUG

(Contd. on page 6)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 11.02.2019

Version number 2

Revision: 06.02.2018

**Trade name** Original LamstedtTon  
2-5 rund; 4-8 rund; 8-16 rund

(Contd. of page 5)

**SECTION 12: Ecological information**

**12.1 Toxicity**

**Aquatic toxicity:** No further relevant information available.

**12.2 Persistence and degradability** No further relevant information available.

**Other information:** The product is not easily biodegradable.

**12.3 Bioaccumulative potential** No further relevant information available.

**Behaviour in environmental systems:**

**12.4 Mobility in soil** No further relevant information available.

**Ecotoxicological effects:**

**Remark:** The product contains substances which causes severe clouding in water

**Additional ecological information:**

**General notes:** Not known to be hazardous to water.

**12.5 Results of PBT and vPvB assessment**

**PBT:** Does not contain PBT substances.

**vPvB:** Does not contain vPvB substances.

**12.6 Other adverse effects** No further relevant information available.

**SECTION 13: Disposal considerations**

**13.1 Waste treatment methods**

**Recommendation** Smaller quantities can be disposed of with household waste.

**European waste catalogue**

Possible waste code. The concrete waste code depends on the source of the waste.

17 09 04	mixed construction and demolition wastes other than those mentioned in 17 09 01, 17 09 02 and 17 09 03
----------	--

**Uncleaned packaging:**

**Recommendation:**

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

**Recommended cleaning agent:**

Thoroughly shake out sacks.

Water, if necessary together with cleansing agents.

**SECTION 14: Transport information**

**14.1 UN-Number**

ADR, ADN, IMDG, IATA

Void

**14.2 UN proper shipping name**

ADR, ADN, IMDG, IATA

Void

**14.3 Transport hazard class(es)**

ADR, ADN, IMDG, IATA

Class

Void

(Contd. on page 7)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 11.02.2019

Version number 2

Revision: 06.02.2018

**Trade name Original LamstedtTon**  
2-5 rund; 4-8 rund; 8-16 rund

(Contd. of page 6)

<b>14.4 Packing group ADR, IMDG, IATA</b>	Void
<b>14.5 Environmental hazards:</b>	Not applicable.
<b>14.6 Special precautions for user</b>	Not applicable.
<b>14.7 Transport in bulk according to Annex II of Marpol and the IBC Code</b>	Not applicable.
<b>Transport/Additional information:</b>	Not dangerous according to the above specifications.
<b>UN "Model Regulation":</b>	Void

**SECTION 15: Regulatory information**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

**Directive 2012/18/EU**

**Named dangerous substances - ANNEX I** None of the ingredients is listed.

**15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

**SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

**Department issuing SDS:** Quality control

**Contact:** Mr. Kunze

**Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern (REACH regulation)

vPvB: very Persistent and very Bioaccumulative